

## PLOOIBARE STEKKAR

Art. BR.22...

### RuXXac-cart parcel truck

- Folded only 8 cm thick
- Load capacity 125 kg – own weight only 6,2 kg
- Polymer wheels 200 Ø x 40 mm – puncture safety of solid rubber tyres, comfort like pneumatic
- Stable grid 50 x 100 mm between the bars
- Steel tube, plastic coated, RAL 9006



### RuXXac-cart parcel truck

<b>Load capacity:</b>	<b>125 kg</b>
Overall height	1120 mm
Overall width	490 mm
Foot plate dim.	490 x 410 mm
Weight	6,2 kg
Polymer wheels	BR. 2234.9

## PLOOIBARE STEKKAR

Art. BR.12...

### Parcel truck and warehouse parcel truck

- For small and big parcels
- Foldable foot plate
- Parcel truck with stable grid 50 x 100 mm between the bars
- Steel tube, plastic coated, RAL 9006

#### Wheels:

solid rubber with black plastic rim, 250 Ø x 60 mm, roller bearings  
 pneumatic tyres with blue plastic rim 260 Ø x 85 mm, roller bearings  
 and/or  
 pneumatic tyres with red plastic rim 220 Ø x 70 mm, roller bearings



### Parcel truck

<b>Load capacity:</b>	<b>150 kg</b>
Wheels	pneum. tyres
Overall height/width	1100/490 mm
Frame width	420 mm
Foot plate dim.	400 x 400 mm
Weight	8,5 kg
Art.	BR.1278.6

### Warehouse parcel truck

Load capacity:		200 kg
Wheels	solid rubber	pneum. tyres
Overall height/width	1100/495 mm	1100/510 mm
Frame width	450 mm	450 mm
Foot plate dim.	435x500 mm	435x500 mm
Weight	13,5 kg	11,5 kg
Art.	BR.1291.3	BR.1291.6

## PLOOIBARE STEKKAR

Art. BR.22... / 82...



Original RuXXac®-cart.



### Unmistakable:

Now even better, more efficient and more user-friendly.

### 3 models available:

- **RuXXac-cart Business**  
Platform depth 25 cm
- **RuXXac-cart Business XL**  
Platform depth 41 cm
- **RuXXac-cart Exclusive**  
Made of stainless steel  
Platform depth 41 cm



### Typical RuXXac®-cart:

#### 1. When folded extremely space saving

Only **5.5 cm thick** – thus it fits into every niche: into the tool cabinet, the van and even into the actual already full trunk.

### Typical RuXXac®-cart:

#### 2. Even quicker ready for use

Platform and wheels are swung out in **one flash** at the same time. It is very easy to open the handle locking devices and this finally ensures a sturdy conducting handle. An adequate transport trolley is ready within less than 5 seconds.

### Typical RuXXac®-cart:

#### 3. Strong as an ox – 125 kg\* load capacity

Small trolley – great capacity. This load capacity also fulfills the needs of professionals. This is possible due to the perfect connection of special synthetic material, aluminium and steel tubes.

\* at load centre 12/15 cm

## PLOOIBARE STEKKAR

Art. BR.22... / 82...



### Typical RuXXac®-cart:

#### 4. Even better handling

With the new handles made of synthetic material the conducting and carrying is even more comfortable.

### Typical RuXXac®-cart:

#### 5. Secure transport – the load-securing system

No matter whether the load is round or angular, big or small: With this unique system consisting of anchor bar and fastening strap every load can be perfectly fixed on the trolley. Easy, effective and secure.

### Typical RuXXac®-cart:

#### 6. Puncture safe tyres

Wheels with roller bearings (200 Ø x 40 mm) with a tread made of polymer combines the advantages of pneumatic and solid rubber tyres: high comfort even on uneven grounds, no problems at kerbs and stairs and the puncture safety of solid rubber tyres.

RuXXac®-cart Business  
Platform depth 25 cm



RuXXac®-cart Business XL  
Platform depth 41 cm



RuXXac®-cart Exclusive  
Platform depth 41 cm



RuXXac®-cart bag  
The bag for the cart



Folded handy and small – unfolded with great capacity. Easy to fasten by Velcro strips. Sturdy and foldable soil. Strong and weather-resistant material quality.

Technical data	Business	Business XL	Exclusive
Load capacity	125 kg	125 kg	125 kg
Height open	103 cm	113 cm	113 cm
Height folded	68,5 cm	73,5 cm	73,5 cm
Width	49 cm	49 cm	49 cm
Thickness folded	5,5 cm	5,5 cm	5,5 cm
Platform unfolded	49 x 25 cm	49 x 41 cm	49 x 41 cm
Weight	5,4 kg	5,9 kg	6 kg
Ref.-No.	BR.2234.5	BR.2234.7	BR.2234.8

RuXXac-cart bag	
Volume litre	42 ltr.
Dimensions unfolded:	
Width	43 cm
Depth	14 cm
Height	70 cm
Ref.-No.	BR.8223.5





## PLOOIBARE STEKKAR

Art. BR.1239.6

RuXXac®-cart. *Jumbo*

Heavy duty folding truck load capacity 250 kg



### Folds flat during transport

Being only 12 cm thick, the RuXXac-cart *Jumbo* may be stored in any small space.

In the boot, station wagon or delivery vehicle, and always available on board for carrying those heavy loads.

### Ready in seconds

In next to no time at all, a full-size van/delivery truck is ready for virtually any commercial or industrial application.

### Rugged construction

Due to the high quality material combination (steel tube/aluminium, and glass-fibre reinforced plastics) the *Jumbo* provides a load carrying capacity of **250 kg** compared to its own weight of only 12.8 kg (max. load capacity on stairs 80 kg).

The large, sturdy base plate is suitably sized to pick up bulky and awkwardly shaped items to transport.

### Practical

Pneumatic tyres (220 Ø x 70 mm, running on roller bearings, fitted with car valves) with lug treads guarantee perfect rolling comfort on all surfaces.

Handles with plastic hand protection grips add to the operational safety.



Technical data	Jumbo
Load capacity	250 kg
Height open	1250 mm
Height folded	870 mm
Width open	655 mm
Width folded	570 mm
Thickness folded	120 mm
Foot plate width	570 mm
Foot plate depth	345 mm
Weight	12,8 kg
Ref.-No.	BR.1239.6